This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



#### DAB Enhancer MAD-001560QVSBC/ NPRI10005L2T3600

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

DAB Enhancer MAD-001560QVSBC/ NPRI10005L2T3600

#### Other means of identification:

Non-applicable

#### **1.2** Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: In vitro diagnostic / Research according to product labelling. For professional users/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

#### **1.3** Details of the supplier of the safety data sheet:

VITRO S.A Calle Luis Fuentes Bejarano nº 60 Ed. Nudo Norte Local 3 41020 Sevilla 41020 Sevilla - Sevilla - España Phone: 954 93 32 00 - Fax: 954 92 28 92 vitro@vitro.bio http://www.vitro.bio

#### **1.4 Emergency telephone number:** +34 958271449

#### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

#### 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:

#### Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

#### **Precautionary statements:**

P273: Avoid release to the environment.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

#### Chemical description: Solution

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification			
CAS:		Copper sulfate penta	hydrate <sup>(1)</sup>	ATP ATP17	
EC: Index: REACH:	231-847-6 029-023-00-4 01-2119520566-40- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318 - Danger	() () () ()	<1 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

Version: 1

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Date of compilation: 10/04/2025



legislation

#### DAB Enhancer MAD-001560QVSBC/ NPRI10005L2T3600

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued) Other information: Identification M-factor Copper sulfate pentahydrate Acute 10 CAS: 7758-99-8 EC: 231-847-6 Chronic 1

#### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

BIOCARE

EDICAL

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

#### By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

#### By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

#### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

#### Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

Version: 1

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.



legislation



#### DAB Enhancer MAD-001560QVSBC/ NPRI10005L2T3600

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 2 °C

Maximum Temp.: 8 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.


#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

#### DNEL (Workers):



legislation



#### DAB Enhancer MAD-001560QVSBC/ NPRI10005L2T3600

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

[		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Copper sulfate pentahydrate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7758-99-8	Dermal	Non-applicable	Non-applicable	137 mg/kg	Non-applicable
EC: 231-847-6	Inhalation	Non-applicable	Non-applicable	1 mg/m³	1 mg/m <sup>3</sup>

#### **DNEL (General population):**

[		Short e	xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Copper sulfate pentahydrate	Oral	0,082 mg/kg	Non-applicable	0,041 mg/kg	Non-applicable
CAS: 7758-99-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-847-6	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable

#### PNEC:

Identification				
Copper sulfate pentahydrate	STP	0,23 mg/L	Fresh water	0,0078 mg/L
CAS: 7758-99-8	Soil	65 mg/kg	Marine water	0,0052 mg/L
EC: 231-847-6	Intermittent	Non-applicable	Sediment (Fresh water)	87 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	676 mg/kg

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

#### C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

#### D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BIOCARE m e d i c a l

#### DAB Enhancer MAD-001560QVSBC/ NPRI10005L2T3600

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)									
	Pictogram	PPE	Labelling		CEN Standard		Remarks		
		Anti-slip work shoes		Eľ	ISO 20347:2012	perio recom	ce before any evidence of deterioration. For ds of prolonged exposure to the product for professional/industrial users CE III is mended, in accordance with the regulations EN ISO 20345:2012 y EN 13832-1:2007		
	F Additional emergency measures								
	Emergency mea	isure	Standards		Emergency measu	ire	Standards		
	Emergency sho	ISO 3864-1:2	NSI Z358-1 011, ISO 3864-4:20	)11	Eyewash stations	S	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011		
	Environmental exp	osure controls:							
	spillage of both the p Volatile organic co	roduct and its container mpounds:	For additional in	nforma	tion see subsection		mmended to avoid environmental		
	-	ve 2010/75/EU, this pro		llowing	characteristics:				
	V.O.C. (Supply):		weight						
	V.O.C. density at	-	/m³ (0 g/L)						
	Average carbon n		-applicable						
	Average molecula	r weight: Non	-applicable						
SECT	TION 9: PHYSICAL A	AND CHEMICAL PRO	PERTIES						
9.1	Information on bas	sic physical and chem	nical properties	s:					
	For complete informa	tion see the product da	tasheet.						
	Appearance:								
	Physical state at 20 o	C:	Liqui	id					
	Appearance:		Tran	Isparen	t				
	Colour:			Aquam	arine				
	Odour:		Odou	urless					
	Odour threshold:		Non-	-applica	able *				
	Volatility:								
	Boiling point at atmos		100						
	Vapour pressure at 20		2350						
	Vapour pressure at 50			-	a (12,38 kPa)				
	Evaporation rate at 2	0 °C:	Non-	-applica	able *				
	Product description	1:							
	Density at 20 °C:			5,4 kg/	m³				
	Relative density at 20		1,03						
	Dynamic viscosity at 2		1,05						
	Kinematic viscosity at			mm²/					
	Kinematic viscosity at	40 °C:		-applica					
	Concentration:			-applica					
	pH:			-applica					
	Vapour density at 20	°C:	Non-	-applica	able *				

\*Not relevant due to the nature of the product, not providing information property of its hazards.

legislation



#### DAB Enhancer MAD-001560QVSBC/ NPRI10005L2T3600

SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)					
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *					
	Solubility in water at 20 °C:	Non-applicable *					
	Solubility properties:	Non-applicable *					
	Decomposition temperature:	Non-applicable *					
	Melting point/freezing point:	Non-applicable *					
	Flammability:						
	Flash Point:	Non Flammable (>60 °C)					
	Flammability (solid, gas):	Non-applicable *					
	Autoignition temperature:	Non-applicable *					
	Lower flammability limit:	Non-applicable *					
	Upper flammability limit:	Non-applicable *					
	Particle characteristics:						
	Median equivalent diameter:	Non-applicable					
9.2	Other information:						
	Information with regard to physical hazard clas	nation with regard to physical hazard classes:					
	Explosive properties:	Non-applicable *					
	Oxidising properties:	Non-applicable *					
	Corrosive to metals:	Non-applicable *					
	Heat of combustion:	Non-applicable *					
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *					
	Other safety characteristics:						
	Surface tension at 20 °C:	Non-applicable *					
	Refraction index:	Non-applicable *					
	*Not relevant due to the nature of the product, not providing info	ormation property of its hazards.					

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	

#### **10.5** Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others	
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases	

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ( $CO_2$ ), carbon monoxide and other organic compounds.

legislation

#### BIOCARE MEDICAL

#### DAB Enhancer MAD-001560QVSBC/ NPRI10005L2T3600

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### **11.1** Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Version: 1

Identification	Acut	Genus	
Copper sulfate pentahydrate	LD50 oral	482 mg/kg	Rat
CAS: 7758-99-8	LD50 dermal	Non-applicable	
EC: 231-847-6	LC50 inhalation	Non-applicable	

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

#### **DAB Enhancer**

#### MAD-001560QVSBC/ NPRI10005L2T3600

#### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

#### 11.2 Information on other hazards:

#### Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

#### Other information

Non-applicable

BIOCARE

EDICAL

#### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

#### 12.1 Toxicity:

#### Acute toxicity:

Identification	Concentration		Species	Genus
Copper sulfate pentahydrate	LC50	0,81 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 7758-99-8	EC50	Non-applicable		
EC: 231-847-6	EC50	Non-applicable		

#### **12.2** Persistence and degradability:

Not available

#### **12.3** Bioaccumulative potential:

Not available

#### 12.4 Mobility in soil:

Not available

#### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

#### **12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product fails to meet the criteria.

#### 12.7 Other adverse effects:

Not described

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals	Dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



#### DAB Enhancer MAD-001560QVSBC/ NPRI10005L2T3600

#### SECTION 14: TRANSPORT INFORMATION

Transpo	rt of dangerous goods by land	:						
	With regard to ADR 2021 and RID 2021:							
14.1	UN number or ID number:	Non-applicable						
14.2	UN proper shipping name:	Non-applicable						
14.3	Transport hazard class(es):	Non-applicable						
	Labels:	Non-applicable						
14.4	Packing group:	Non-applicable						
14.5	Environmental hazards:	No						
14.6	Special precautions for user							
	Special regulations:	Non-applicable						
	Tunnel restriction code:	Non-applicable						
	Physico-Chemical properties:	see section 9						
	Limited quantities:	Non-applicable						
14.7	· · · · · · · · · · · · · · · · · · ·	Non-applicable						
	according to IMO							
_	instruments:							
-	rt of dangerous goods by sea:							
-	ard to IMDG 40-20:							
	UN number or ID number:	Non-applicable						
	UN proper shipping name:	Non-applicable						
14.3		Non-applicable						
	Labels:	Non-applicable						
	Packing group:	Non-applicable						
	Marine pollutant:	No						
14.6	Special precautions for user							
	Special regulations:	Non-applicable						
	EmS Codes:							
	Physico-Chemical properties:	see section 9						
	Limited quantities:	Non-applicable						
	Segregation group:	Non-applicable						
14.7	Maritime transport in bulk	Non-applicable						
	according to IMO instruments:							
Transpo	rt of dangerous goods by air:							
-	ard to IATA/ICAO 2022:							
14.1	UN number or ID number:	Non-applicable						
14.2	UN proper shipping name:	Non-applicable						
14.3	Transport hazard class(es):	Non-applicable						
	Labels:	Non-applicable						
14.4	Packing group:	Non-applicable						
14.5	Environmental hazards:	No						
14.6	Special precautions for user							
	Physico-Chemical properties:	see section 9						
14.7		Non-applicable						
	according to IMO							
	instruments:							

#### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Version: 1

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable



legislation

### DAB Enhancer

#### MAD-001560QVSBC/ NPRI10005L2T3600

#### SECTION 15: REGULATORY INFORMATION (continued)

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Copper sulfate pentahydrate (Product-type 2)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

BIOCARE

EDICAL

#### Non-applicable

## Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

#### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:** Non-applicable

#### Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Version: 1

Eye Dam. 1: H318 - Causes serious eye damage.

#### **Classification procedure:**

Aquatic Chronic 3: Calculation method

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



#### **DAB Enhancer**

#### MAD-001560QVSBC/ NPRI10005L2T3600

#### SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Dose 50 EC50: Effective concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Version: 1